

Quality Clauses:

QC1 Copies of any applicable material, processing, and test certificates must accompany each shipment of material or product.

QC2 Parts shipped to C&H Machining must be 100% inspected and accepted by the supplier. Any rework which needs to be performed by C&H Machining will be debited from the supplier's invoice.

QC3

In a case of non-conformance to C&H MACHINING requirements, all items must be tagged with the discrepancy. The packing slip should be noted with the number of items discrepant.

QC4 During the performance of the purchased order supplier shall give C&H Machining, its customers, and regulatory authorities' right of access to the applicable areas of all facilities, at any level of the supply chain, involved in this order and to all applicable documented information.

QC5 All product must be protected against damage and corrosion during delivery and performance of the order, utilizing sound packaging practices.

QC6 The supplier is responsible to ensure that material utilized for the performance of the order whether consigned by C&H Machining or furnished by the supplier, is to be stored and identified to insure traceability and to prevent intermingled with other material.

QC7 Material consigned by C&H Machining may not be substituted by any other material to complete the order requirements unless authorization from C&H MACHINING is given.

QC8 Upon receipt of a drawing from C&H MACHINING., it is the supplier's responsibility to thoroughly review and understand the drawing and any associated engineering documentation and can comply with the requirements prior to manufacturing. Any technical questions regarding interpretation should be discussed with C&H MACHINING @ 631-582-6737.

QC9 Standard hardware (MS, NAS, BAC, AN, etc.) shall be manufactured to the latest revision specification and will require certification of compliance indicating the original hardware manufacturer.

QC10 Suppliers providing calibration services shall be compliant to ISO 17025 requirements. All calibrations performed must be NIST traceable and traceability identified on provided calibration certification.

QC11 C&H Machining must be informed by written notification if there are any changes in product and/or process definition. Change will be reviewed by C&H Machining and approval may be needed.

QC12 Supplier is required to inform C&H MACHINING, within 48 hours, of any nonconforming product. C&H Machining reserves the right to disposition nonconformances related to this PO.

QC13 Supplier records must be retained for a minimum of 10 years. When C&H Machining customer has a requirement for retention time of greater than 10 years, the customer requirement will take precedent.

QC14 When a sub-tier supplier is used by a C&H Machining supplier, the supplier will flow down to the sub-tier all applicable requirements cited in purchasing documents.

QC15 When C&H Machining's customer is identified on the purchase order, supplier must comply with the most current quality system and record retention requirements of the C&H MACHINING's customer.

QC16 Supplier must provide Certificate of Conformance for product purchased by C&H .C of C must include C&H Machining purchase order number.

QC17 "UTAS End Use", When this is stated on the purchase order, sub-tier supplier shall adhere to the requirements of ASQR-0. When applicable, supplier will use Customer approved supplier for processing.

QC18 When processing parts for C&H Machining, Inc. the supplier should always process in accordance with the newest revision of that spec or requirement . unless otherwise noted

QC19 Supplier will ensure that employees involved in the fulfillment of this PO are aware of their contribution to product or service conformity, their contribution to product safety, and the importance of ethical behavior.

QC20 Counterfeit Part Prevention:

- a) "Counterfeit Work means work that is or contains items misrepresented as having been designed and/or produced under approved system or other acceptable method. The term also includes approved work that has reached a design life limit or has been damaged beyond possible repair but is altered and misrepresented as acceptable.
- b) Seller shall establish and maintain a counterfeit parts prevention program ensuring that all counterfeit material(s), services and component parts are not delivered or incorporated into products being acquired by C&H Machining. Counterfeit prevention procedures shall be in accordance with SAE AS6174 and or SAE AS5553.
- c) Seller shall ensure that all sub-contractors (supply chain intermediaries) used by the seller shall have a counterfeit parts prevention program in compliance with SAE AS6174 and or SAE AS5553.
- d) Seller agrees and shall ensure that counterfeit work is not delivered to C&H Machining.
- e) Seller shall only purchase products to be delivered or incorporated as work to C&H Machining directly from Original Component Manufacturers (OCM)/Original Equipment Manufacturers (OEM), or through an OCM/OEM authorized distributor chain. Work shall not be acquired from independent distributors or brokers unless approved in advance in writing by C&H Machining

- f) Seller shall immediately notify C&H Machining with the pertinent facts if seller becomes aware or suspects that it has furnished counterfeit work. When requested by C&H Machining, Seller shall provide OCM/OEM documentation that authenticates traceability of the affected items to the applicable OCM/OEM.
- g) C&H Machine has the right to refuse to accept any materials, services and or component parts it has determined to be counterfeit or fraudulent.

QC21 The supplier shall employ appropriate housekeeping practices to assure timely removal of residue/debris generated, if any, during the manufacturing operations and/or normal daily tasks. Seller shall determine if sensitive areas that may have a high probability for introduction of Foreign Objects should have a special emphasis controls in place that are appropriate for the manufacturing environment. The supplier shall determine the need for, and implement, a FOD prevention program, including awareness training. Refer to NAS 412 standard for guidance.

Table of Applicable Clauses

(Please review table for any applicable clauses for the product or services provided)

Clause Number	Raw Material	Part Marking	Hardware	Calibration	Machining	Processing
QCO1	X		X		X	X
QCO2	X	X	X		X	X
QC03	X	X	X		X	X
QC04	X	X	X	X	X	X
QC05	X	X	X	X	X	X
QC06					X	X
QC07					X	X
QC08		X			X	X
QC09			X			
QC10				X		
QC11	X	X	X		X	X
QC12	X	X	X		X	X
QC13	X	X	X	X	X	X
QC14	X	X	X	X	X	X
QC15	X	X	X		X	X
QC16	X	X	X		X	X
QC17					X	X
QC18	X	X	X	X	X	X
QC19	X	X	X	X	X	X
QC20	X	X	X	X	X	X
QC21	X	X	X	X	X	X